



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-011643/D002.R001  
**Report Date:** 01/12/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/27/22 13:52

This is an amended version of report# 22-011643/D002.R000.  
 Reason: Updated reporting units.

**Customer:** Nutra Pure LLC  
**Product identity:** CBDPet Batch 52435  
**Client/Metric ID:** .  
**Laboratory ID:** 22-011643-0002

### Summary

**Potency:**

Analyte per 60ml	Result	Limits	Units	Status	
CBC per 60ml	5.42		mg/60ml		CBD-Total (%) 0.235 %
CBD per 60ml	125		mg/60ml		
CBD-A per 60ml	4.91		mg/60ml		
Δ9-THC per 60ml	4.98		mg/60ml		CBD-Total per 60ml 130 mg/60ml
					THC-Total (%) 0.00902 %

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.

**Metals:**

Less than LOQ for all analytes.

**Microbiology:**

Less than LOQ for all analytes.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-011643/D002.R001  
**Report Date:** 01/12/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/27/22 13:52

**Customer:** Nutra Pure LLC  
**Product identity:** CBDPet Batch 52435  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 22-011643-0002  
**Evidence of Cooling:** No  
**Temp:** 23.8  
**Relinquished by:** usps  
**Serving Size #1:** 55.2 g  
**Density:** 0.9200 g/ml

### Sample Results

Potency per 60ml	Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>	Units mg/se	Batch: 2208235	Analyze: 9/29/22 5:19:00 AM	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 60ml	5.42		mg/60ml	1.73	
CBC-A per 60ml	< LOQ		mg/60ml	0.0314	
CBC-Total per 60ml	5.42		mg/60ml	3.25	
CBD per 60ml	125		mg/60ml	1.73	
CBD-A per 60ml	4.91		mg/60ml	1.73	
CBD-Total per 60ml	130		mg/60ml	3.25	
CBDV per 60ml	< LOQ		mg/60ml	0.0314	
CBDV-A per 60ml	< LOQ		mg/60ml	0.0314	
CBDV-Total per 60ml	< LOQ		mg/60ml	0.0586	
CBE per 60ml	< LOQ		mg/60ml	0.0314	
CBG per 60ml	< LOQ		mg/60ml	0.0314	
CBG-A per 60ml	< LOQ		mg/60ml	0.0314	
CBG-Total per 60ml	< LOQ		mg/60ml	0.0586	
CBL per 60ml	< LOQ		mg/60ml	0.0314	
CBL-A per 60ml	< LOQ		mg/60ml	0.0314	
CBL-Total per 60ml	< LOQ		mg/60ml	0.0589	
CBN per 60ml	< LOQ		mg/60ml	0.0314	
CBT per 60ml	< LOQ		mg/60ml	0.0314	
Δ8-THCV per 60ml	< LOQ		mg/60ml	0.0314	
Δ10-THC per 60ml	< LOQ		mg/60ml	0.0314	
Δ8-THC per 60ml	< LOQ		mg/60ml	0.0314	
Δ9-THC per 60ml	4.98		mg/60ml	1.73	
exo-THC per 60ml	< LOQ		mg/60ml	0.0314	
THC-A per 60ml	< LOQ		mg/60ml	0.0314	
THC-Total per 60ml	4.98		mg/60ml	3.25	
THCV per 60ml	< LOQ		mg/60ml	0.0314	
THCV-A per 60ml	< LOQ		mg/60ml	0.0314	
THCV-Total per 60ml	< LOQ		mg/60ml	0.0589	
Total Cannabinoids per 60ml	141		mg/60ml		



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-011643/D002.R001  
**Report Date:** 01/12/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/27/22 13:52

**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2208169	09/30/22 AOAC 990.12 (Petrifilm) <sup>Ⓟ</sup>		
E.coli	< LOQ		cfu/g	10	2208167	09/30/22 AOAC 991.14 (Petrifilm) <sup>Ⓟ</sup>		
Total Coliforms	< LOQ		cfu/g	10	2208167	09/30/22 AOAC 991.14 (Petrifilm) <sup>Ⓟ</sup>		
Staphylococcus aureus	< LOQ		cfu/g	10	2208170	09/29/22 AOAC 2003.07		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2208168	10/01/22 AOAC 2014.05 (RAPID) <sup>Ⓟ</sup>		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2208168	10/01/22 AOAC 2014.05 (RAPID) <sup>Ⓟ</sup>		
E. coli, O157:H7 (by PCR)	Negative		/25g		2208172	09/29/22 AOAC 2019.03 <sup>Ⓟ</sup>		
Listeria spp.	Negative		/25g		2208173	09/29/22 AOAC 2019.10		
Salmonella spp. by PCR	Negative		/25g		2208171	09/29/22 AOAC 2020.02 <sup>Ⓟ</sup>		

**Solvents** Method: Residual Solvents by GC/MS<sup>Ⓟ</sup> Units µg/g Batch 2208340 Analyze 10/03/22 02:43 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-011643/D002.R001  
**Report Date:** 01/12/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/27/22 13:52

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>											
Units mg/kg Batch 2208299 Analyze 10/03/22 08:14 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin <sup>‡</sup>	< LOQ	0.50	0.250	pass		Acephate <sup>‡</sup>	< LOQ	0.40	0.250	pass	
Acequinocyl <sup>‡</sup>	< LOQ	2.0	1.00	pass		Acetamiprid <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Aldicarb <sup>‡</sup>	< LOQ	0.40	0.200	pass		Azoxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Bifenazate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Bifenthrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Boscalid <sup>‡</sup>	< LOQ	0.40	0.200	pass		Carbaryl <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Carbofuran <sup>‡</sup>	< LOQ	0.20	0.100	pass		Chlorantraniliprole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Chlorfenapyr <sup>‡</sup>	< LOQ	1.0	0.500	pass		Chlorpyrifos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Clofentezine <sup>‡</sup>	< LOQ	0.20	0.100	pass		Cyfluthrin <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Cypermethrin <sup>‡</sup>	< LOQ	1.0	0.500	pass		Daminozide <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Diazinon <sup>‡</sup>	< LOQ	0.20	0.100	pass		Dichlorvos <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Dimethoate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Ethoprophos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Etofenprox <sup>‡</sup>	< LOQ	0.40	0.200	pass		Etoxazole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Fenoxycarb <sup>‡</sup>	< LOQ	0.20	0.100	pass		Fenpyroximate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Fipronil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Flonicamid <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Fludioxonil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Hexythiazox <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Imazalil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Imidacloprid <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Kresoxim-methyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		Malathion <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Metalaxyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Methiocarb <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Methomyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		MGK-264 <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Myclobutanil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Naled <sup>‡</sup>	< LOQ	0.50	0.250	pass	
Oxamyl <sup>‡</sup>	< LOQ	1.0	0.500	pass		Pacllobutrazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Parathion-Methyl <sup>‡</sup>	< LOQ	0.20	0.200	pass		Permethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Phosmet <sup>‡</sup>	< LOQ	0.20	0.100	pass		Piperonyl butoxide <sup>‡</sup>	< LOQ	2.0	1.00	pass	
Prallethrin <sup>‡</sup>	< LOQ	0.20	0.200	pass		Propiconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Propoxur <sup>‡</sup>	< LOQ	0.20	0.100	pass		Pyrethrin I (total) <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Pyridaben <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spinosad <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiromesifen <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spirotetramat <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiroxamine <sup>‡</sup>	< LOQ	0.40	0.200	pass		Tebuconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Thiacloprid <sup>‡</sup>	< LOQ	0.20	0.100	pass		Thiamethoxam <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Trifloxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes	
Arsenic	< LOQ	0.200	mg/kg	0.0894	2208233	09/29/22	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Cadmium	< LOQ	0.200	mg/kg	0.0894	2208233	09/29/22	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Lead	< LOQ	0.500	mg/kg	0.0894	2208233	09/29/22	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Mercury	< LOQ	0.100	mg/kg	0.0447	2208233	09/29/22	AOAC 2013.06 (mod.) <sup>b</sup>	pass		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-011643/D002.R001  
**Report Date:** 01/12/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 09/27/22 13:52

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

\* = TNI accredited analyte.

**Units of Measure**

/25g = Per 25g

cfu/g = Colony forming units per gram

g = g

g/ml = Gram per milliliter

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/60ml = Milligram per 60ml

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager